

Zimmer
MedizinSystems



Cryo*Mini*

Zimmer

CryoMini



CryoMini

Simple, easy and quick to use –
Cryotherapy with -10°C air

With the *CryoMini*, Zimmer MedizinSystems offers a compact and flexible cold air system for short and less painful treatments.

The newest generation of cryotherapy systems. The *CryoMini* features cooled air for efficient pain treatment, swelling reduction and muscle relaxation. The system enables cryotherapy with precise placement and at a constant dosage, every time. The device uses no consumables and delivers high power. This enables a quick decrease in superficial skin temperature, while maintaining the ability to operate all day.

The Versatile and Compact Skin Cooling System



Patient Satisfaction

Unlike other cooling methods, such as contact cooling, cryogen spray or ice packs, the *CryoMini* decreases the skin temperature quicker, with less risk of skin burns and keeps a constant dosage throughout the entire treatment time. Various studies have indicated that longer treatment sessions may be possible due to increased patient comfort. Additionally, cold air has been favored as a successful method for providing local anesthesia prior to injections.

Versatility

A major advantage of the *CryoMini*'s non-contact skin cooling is that skin can be cooled before, during and after most treatments, without requiring additional preparation time.

Easy Operation

The touch screen ensures ease of operations. One button start up. You may change the 9 speed fan to accommodate patients requirements. Adjust treatment time at the push of a button.

Quick and Efficient Application

The cold air can be more selectively directed onto localized treatment areas by utilizing the laser handpiece adapter. An optional support arm is available to gently hold and guide the air tube to provide the operator with hands-free operation. *CryoMini* requires only normal room air, which is filtered and chilled to -10°C . There are no consumables or additional costs. The customized glass plate provides a compact location for various accessories, IPL laser systems, or smoke evacuator.



Technical Data

Power supply	120 V / 50-60 Hz
Power input max.	1000 VA
Stand-by function	100 W/h
Protection according to IEC 601-1	Class I, Type B
MDD / MPG	Class IIa
Treatment tube length	6 ft 180 cm
Housing dimensions	H 25" / W 13" / L 23" H 65 cm / W 33,5 cm / L 600 cm
Weight	75 lbs 35,5 kg
Air flow	9 levels, ~ 1300 l / min
Air Temp. at evaporator	-20° C

Options



Articulating arm



Adapter



D33 Treatment hose



Wheel with brake

Zimmer MedizinSystems

3 Goodyear, Suite B
Irvine, CA 92618
Phone: (800) 327-3576
info@zimmerusa.com
www.zimmerusa.com
shop.zimmerusa.com

Federal law restricts this device to sale by or on the order of a physician.